

<p>27 420 011</p> 	<p>CamBoss control unit</p> <p>16,00 Kg</p> <p>15" LCD 1024x768px industrial color screen with DVI and CVBS inputs, control panel with keyboard, placed into mobile case. LCD shows actual camera image with option to switch to PC mode. Interface 2xUSB 2.0, 2x USB 3.0, Processor and RAM according to the current offer. HDD 250Gb SSD+1Tb HDD classic, Win 11, opt.mouse. DigiCAN software - enables inserting various information (data, time, cable length, inclination, pan, rotation, component pressure, etc.) and reports creation containing suspected areas images and commentary. Dimensions ca. 400 x 570 x 450mm. The suitcase can be locked.</p>	
<p>27 505 041</p> 	<p>The connecting cable CamBoss - NAVI 10m</p> <p>0,69 Kg</p> <p>Accessories for NAVI MN200/NAVI200/NAVI300/NAVI500 The connecting cable from the control unit CamBoss to a cable drum. Fixed cable length 10m.</p>	
<p>27 360 300</p> 	<p>NAVI200 cable drum</p> <p>26,00 Kg</p> <p>Automatic cable drum - price without cable. Guiding pulley avoiding any extra camera cable tensions. Unwinded cable length sensing, up to 200 meters cable capacity, splash water resistant, safety STOP switch. Weight ca. 26 kg without cable. Dimension 300x570x700 mm. 69 000 033 Radiocontrol is not included - must be ordered separately!</p>	
<p>69 000 033</p> 	<p>RadioControl - remote control</p> <p>0,16 Kg</p> <p>Accessories for NAVI3 Radio remote control for NAVI3. Controls cable drum, crawler, electric pantograph. The lifting device (winch) is controlled by a separate controller which is part of the winch.</p>	
<p>51 201 628</p> 	<p>Protective guiding roller</p> <p>3,60 Kg</p> <p>Accessories for NAVI Shaft's bottom guide to avoid cable damages at shaft right angle and automatic cable drums mandatory part, with rope for easy and precise fit Weight 3,60kg</p>	
<p>88 991 113</p> 	<p>Special PU camera cable green</p> <p>18,00 Kg</p> <p>The cable length : 200 m</p> <p>Accessories for NAVI Special camera cable without coax, kevlar reinforced and connectors assembled, 5,5 mm diameter. Weight 3,8kg / 100m The price of the cable includes end connectors.</p>	
<p>27 170 010</p> <p>NEW</p> 	<p>Boss135 4x4 crawler</p> <p>13,00 Kg</p> <p>4x4 drive crawler, 1x75W motor. Material - brass. Suitable for DN150 up to ca. DN800, 1 wheel set (4 x Ø100mm) included. Waterproof up to 1 bar. Not steerable, not rear camera included. With connector for auxiliary light, manual pantograph and hook for easy and safe lowering to a shaft. Works with camera head KZ95CB. Weight ca. 13kg. When using NAVI3 cable drum - max. reach 200m!</p>	



<p>34 600 002</p> 	<p>Distancing spacer set 4 pcs. 60mm</p> <p>Accessories for Boss135 Spacer for for axle widening (4 x Ø60mm) from DN200</p>	<p>0,00 Kg</p>	<input type="text"/>
<p>34 600 003</p> 	<p>160mm wheel set - 4 pieces</p> <p>Accessories for Boss135 Additional wheels (4 x Ø160mm) from DN300 Weight 3,80kg / 4 pcs.</p>	<p>3,80 Kg</p>	<input type="text"/>
<p>34 600 004</p> 	<p>225mm wheel set - 4 pieces</p> <p>Accessories for Boss135 Additional wheels (4 x Ø225mm) from DN400</p>	<p>0,00 Kg</p>	<input type="text"/>
<p>27 501 080</p> 	<p>Auxiliary light for manual arm</p> <p>Accessories for Boss135 Auxiliary LED lights for manual arm/pantograph - crawler Boss135 - for better pipe lighting. Power LED 18W</p>	<p>0,00 Kg</p>	<input type="text"/>
<p>27 220 070 NEW CHIP</p> 	<p>Kamera KZ95CB/90 without lasers</p> <p>The camera is a modification of the camera KZ95CB. They differ initial zero position, that is against the type KZ95CB 90 ° rotated.</p>	<p>2,10 Kg</p>	<input type="text"/>
<p>34 600 009</p> 	<p>Laser unit for KZ95CB</p> <p>Accessories for camera heads KZ95CB - not for sale separately. Laser unit to measure piping cracks, hollows, joints with help of DigiCAN PRO software.</p>	<p>0,01 Kg</p>	<input type="text"/>



Total weight	83,36 Kg
Shipping costs are not included !	
Prices without VAT	

Contractual relationship between buyer and seller is governed by General commercial terms and conditions-see next page.

By agreeing the price offer in writing, the customer confirms, that he has read these terms and conditions, that their content is known to him and that he agrees with them.

